

ROOF TOP TENTS • AWNINGS • ROOF RACKS



HANNIBAL

BEST OF BREED

SAFARI EQUIPMENT

for all makes of 4x4



SAFARI EQUIPMENT



HSE has gained over 8 years of experience in the 4x4 accessory industry. From modest beginnings HSE has grown

into a formidable international force, manufacturing and distributing a comprehensive range of tailor made 4x4 accessories throughout the world.

Hannibal operates from centrally located premises in Cape Town, South Africa, equipped with a modern manufacturing plant encompassing the latest technology and materials in both design and production.

Simplicity, ruggedness and quality are the cornerstones of all HSE products. All of which have proven themselves through extensive Safari use - taking in their stride the harshest conditions Africa could muster against them. So rest assured we guarantee your HSE product will perform admirably, even in the harshest of environments you may encounter.

The bulk (over 85%) of all Hannibal's production is exported. Countries include: France, Holland, USA, Australia, the UK, Norway, Sweden and Switzerland to name just a few. Hannibal has also had the privilege to supply the United Nations operations in Afghanistan. Export quantities of roof racks alone are in excess of 1200 units per annum.



Roof Racks

Hannibal racks are designed to fit all makes of 4x4's, those with gutters as well as the gutterless varieties.

Hannibal roof racks are designed to carry your tent and equipment with ease and efficiency. Reliability and weight are key factors when considering an ideal roof rack.

Hannibal roof racks have been proven to be of the strongest, lightest and most rugged safari-proven racks in the world.

The design also incorporates good looks with excellent aerodynamic performance for a minimum of wind noise and maximum fuel efficiency.



Gutter Mount



Gutterless Mount

Mounting systems

Options

- Half rack options for most vehicles
- Closed front racks.

Bolt guide shown here with optional cargo rings



Detachable Rail



Special Features

- Hannibal racks are made from high quality 6063 architectural aluminium designed for strength and corrosion resistance. Our racks have been tested to well over one ton.
- Uniquely engineered flooring offers both extreme strength and minimum flexibility.
- Flooring welded from front to rear to minimise wind noise.
- Mounting clamps are manufactured from stainless steel.
- Two piece construction on the gutter mount system: Basket separates from the load bars for ease of storage and for access to limited parking height. Load bars can still be utilised for multi purpose loading.
- Basket and frame is fully welded for maximum strength and reliability.
- Full length gutter support to spread load, preventing unnecessary wear and tear to vehicles gutters.
- Detachable rails to allow for flat bed packing.
- Low centre of gravity design for stable and safe offroading
- Rubber gutter protectors save your vehicle's paintwork and provides maximum traction in gutters.
- Lifetime warranty
- Lightweight and corrosion proof
- Designed with an even weight distribution profile.
- Average weight of 33kg empty
- Detachable rails
- Bolt guide in floor slats
- Optional cargo ring attachments
- Quietest rack on the market
- Powder coated or metal finish.

Roof Rack accessories



Hannibal Impi hardshell tent

Features



Factory fitted 12V roof light

The new Impi can be fitted to any vehicle with most roof bar or rack systems, from a sedan to the serious off-road vehicle. The Impi is a sleek, aerodynamic roof tent and will accommodate 2 people. This tent can be opened and ready for use in seconds. The Impi is fitted with the same 70mm high-density foam mattress and aluminium ladder with foot friendly flat tread profile that is used in our Canvas range. Unique to the Impi is the awning over the rear entry and screened vent. The roof of the Impi is also lined with an insulating and anti-condensation lining.

- Aerodynamic design means no wind noise and less wind resistance.
- UV stable fibreglass reinforced resin laminate shell.
- Waterproof, "Dynaproofed" 380g polycotton ripstop; strong yet able to breathe.
- Seams & stitching: Seams are double stitched using strength superior quality thread (S25) and edged with binding. All seams have been waterproofed.
- Awning: Waterproof 210 denier Oxford nylon
- Awning poles: 4mm electro galvanised spring steel.
- Access through 3 entry points.
- Anti-condensation lining installed in roof
- Adjustable roof tent windows are screened and open fully for better venting
- Inner tent has 2 storage pockets
- Zips: U-zips are used on all entrances to ensure that your roof tent can be totally sealed against mosquitoes and insects, lifetime guarantee YKK
- 70mm high density foam mattress helps make the Hannibal roof tent almost as comfortable as your own bed.
- The mattress cover is zipped and can be removed for laundering.
- Spacious lid design allows for bedding to be left inside when travelling
- Steps fully profiled for comfort on bare feet
- Unique tensioners inside the roof tent pulls in the sides when collapsing the roof tent.
- Gas springs assist lift for opening and can be locked down
- Lockable for security
- 12V 8watt fluoro light installed in the roof
- Auto boot seal is used to ensure a 100% weatherproof seal when travelling.

The versatile Impi can also be used as a trailer tent

Part No.	Dimension Closed	Dimension Open	Weight
HMTZ	Length: 2.2m Width: 1.3m Height: 32cm	Length: 2.2m Width: 1.3m Height: 1.5m	70kg Includes ladder

Can be fitted to any vehicle, not only 4x4's



Roof Top Tents

The concept of rooftop tents was pioneered in South Africa and the country has long been the market leader in design and production. The ease of use, safety factor and advantage as a lookout position have made rooftop tents the most sought after of safari tents. The ability to test the product in the field, over rough terrain and in all-weather African conditions, has enabled us to produce a product of strength and reliability.



Tent range dimensions

Dimension Closed	Dimension Open	Dimension Closed	Dimension Open	Dimension Closed	Dimension Open
1.2m HN1201	Length: 1.2m Width: 1.2m Height: 30cm	Tent Length: 2.4m Fly Length: 3.6m Width: 1.2m Height: 1.3m	1.4m HN1401	Length: 1.2m Width: 1.4m Height: 30cm	Tent Length: 2.4m Fly Length: 3.6m Width: 1.4m Height: 1.3m
1.6m HN1601	Length: 1.2m Width: 1.6m Height: 30cm	Tent Length: 2.4m Fly Length: 3.6m Width: 1.6m Height: 1.3m			

Hannibal Classic Roof Tent Features



- Fabric: 100% Waterproof, "Dynaproofed" polyamide 380g polyamide cotton ripstop canvas. Strong yet able to breathe.
- Seams: Double stitched; edged with binding. All seams have been waterproofed.
- Stitching: Superior strength UV stable quality S25 thread.
- Roof Tent frame poles: Anodised aluminium.
- Windows: Adjustable roof tent windows open fully for better venting.
- Screens: Insect screens on every opening.
- Hinges: 3mm stainless steel; long lasting and rustproof.
- Base boards: 12mm marine ply for best insulation and strength.
- Mattress: 75mm high density foam mattress helps make the Hannibal roof tent almost as comfortable as your own bed.
- Mattress cover: The mattress cover is zipped and can be removed for laundering.
- Spacious hinging: Allows for bedding to be left inside the tent when travelling.
- Flysheet: Extra raised flysheet for shading and coolness when in the tent. Flysheet is extended past the doors for better rain and wind protection.
- Flysheet: Waterproof 210 denier ripstop Oxford nylon.
- Fly sheet poles: 4mm electro galvanised spring steel.
- Zips: YKK U-zips on all entrances ensure that your roof tent can be totally sealed against mosquitoes and flying insects and have a lifetime guarantee.
- Storage Pockets: Inner tent has a torch bag, plus two additional storage compartments.
- Velcro Panel: Weather proof access for wand style fluoro light.
- Ladder treads: Wide, flat tread profiles for comfort on bare feet.
- Roof tent cover: UV stabilised PVC seams are welded for absolute waterproofing.
- Tie down straps: External tie down straps on tent cover prevent ballooning whilst driving.
- Unique Tensioners: Pull in the sides when collapsing the tent.



With Hannibal Roof Top Tents you will have your camp set up in minutes...



1 Step1: Position your vehicle

2 Step2: Remove the tent cover

3 Step3: Take out the ladder & clip in place

4 Step4: Use the ladder to open the tent

5 Step5: Open fully & position the ladder

6 Step4: Attach flysheet & flysheet poles

...giving you more time to kick back and enjoy your touring adventure!

Hannibal Roof Tent Options

Hannibal Classic Roof Tent with Jumbo Fly This is the intermediate package for those consumers that want a level of protection from the elements. The Jumbo walls kit or Jumbo Tourer walls and floor kit can be retro fitted at a later date when required. Manufactured from 380G Poly-cotton Dynaproofed ripstop canvas. The 210 Denier Oxford Nylon ripstop fly extends over the ladder to provide a protected access into the tent.

HNJMF12/14/16 Size of annexe: 2.4 x 1.6m, 2.4 x 1.8m, 2.4 x 2.0m

Hannibal Jumbo Kit Tent The Jumbo is an all weather option for the Hannibal Roof Tent and is the perfect partner for an off road adventure. The tent is manufactured from 380G Poly-cotton Dynaproofed ripstop canvas. The 210 Denier Oxford Nylon ripstop fly extends over the ladder and comes complete with a walls kit to offer protection from the elements. The walls fold down into a small bag and can be easily and quickly installed. The Jumbo Kit does not have a floor: we recommend a shade cloth ground sheet for this purpose.

HNJTN12/14/16 Size of annexe: 2.4 x 1.6m, 2.4 x 1.8m, 2.4 x 2.0m

Hannibal Tourer Kit Tent The Hannibal Tourer has all of the standard features that makes the Hannibal tent stand out from the crowd. What makes this tents unique in the Hannibal range is that the annexe, unlike the Jumbo Kit, comes complete with removeable floor. The annexe is fully screened and has two windows, a doorway and a zip out panel for vehicle access.

HNJTN12/14/16 Size of annexe: 2.4 x 1.6m, 2.4 x 1.8m, 2.4 x 2.0m



Shower Skirt

1.2m HNS12
1.4m HNS14



Awnings

Awnings provide shade comfort, and protection against rain and wind when camping. Speed and ease of setup is of paramount importance to enable usage while en-route, e.g. for a quick stop at lunchtime. For that reason special importance has been given to the design of the structure: setup takes approximately 30 seconds.



Sizes Two sizes available:
1.85m Wide, 1.7m Extention HNAW01
2.4m Wide, 2.0m Extention HNAW02

Features

- Cover: polyimide ripstop, water resistant.
- Awning Fabric: Waterproof, Dynaproofed 380g polycotton ripstop
- Aluminium awning support
- External tie down straps hold outriggers in place while driving
- Polyurethane bushes allow the arms to swivel avoiding wear and tear
- Awning poles are totally self supporting: no poles or guy ropes to trip over!
- Easy to set up: two arms fold out and the awning is rolled out and clipped in
- Single handed setup (even in windy conditions)
- PVC reinforced corners - drop clips for quick setup



Awning Sides



Detachable sides and front hook to the awning and zip together to form a room. Door and windows roll up.

Awning Sides 1.85m HS01 Awning Sides 2.4m HS02



Accessories

RUFF STUFF

Ruff Stuff Recovery Kit RFREC

- kinetic strap 55mm x 9m, rated 8 ton (RFK) • pair leather gloves (RFG) • two 16 x 20mm bow shackles, rated 13 ton (RFS) • Tow strap 50mm x 3.5m (RFT) Rated 4 ton inc. shackles • Hannibal recovery bag (RFB)



Landrover Gas Holder HNLRG



Single Gas Holder HNUN06



Double Gas Holder HNUN07



Wheel Ladder HNL15



Double Jerrycan Holder HNUN10



Single Jerrycan Holder HNUN09



Gutter Ladder HNL10



Hi-Lift Jack Bracket HNUN01



Spade Bracket HNUN02




Bullbar Ladder HNLB??

Lifetime Guarantee

Hannibal Safari Equipment is manufactured in Cape Town, South Africa. The company specialises in the production of expedition equipment to overland safari vehicles. Emphasis is on service and engineering, as we are fully aware that equipment failure on safari can be disastrous. Every care has been taken during the manufacturing process to present our customers with a well-engineered product of lasting strength and quality. Hannibal Safari Equipment Roof Racks are therefore protected with a Lifetime Guarantee against manufacturing defects. All other products are covered by a limited 2 year warranty.

SAFARI EQUIPMENT
for all makes of 4x4

Hannibal Dealer:



HANNIBAL

BEST OF BREED

62 Bofors Circle Epping Cape Town South Africa

Tel +27 21 534 9050 Fax +27 21 534 9053

www.hannibal.co.za info@hannibal.co.za